



TEMPORARY HEAT

Equipment and
people. We deliver
the **best of both.**

AXISAIR.com

2021-
2022
EQUIPMENT CATALOG



TEMPORARY HEAT WILL REQUIRE AN EXPERT & WE CAN BE YOURS

We are hyper-focused on our customers, live and breathe service, and are striving to build the industry's fastest growing and most respected climate control organization.



HEATING

17 ELECTRIC

17	1.5-18KW
18	18-60kW

20 HEAT PUMP

20	3-4 KW
----	--------

20 PACKAGED

20	35,000 - 83,000 BTU'S
----	-----------------------

21 DIRECT FIRED

	Lorem ipsum
21	80,000 - 350,000 BTU'S
23	170,000 - 1,500,000 BTU'S

24 INDIRECT FIRED


24	175,000 - 400,000 BTU'S
26	558,000 - 780,000 BTU'S

27 MAKE-UP-AIR

27	550,000 - 2,300,000 BTU'S
----	---------------------------

29 GROUND THAW

29	48,000 - 125,000 BTU'S
29	620,000 BTU'S




17 **ELECTRIC**
1.5 - 18 KW



18 **ELECTRIC**
18 - 60 KW



20 **HEAT PUMP**
3 - 4 KW



20 **PACKAGED**
35 - 83,000 BTU's



21 **DIRECT FIRED**
80 - 350,000 BTU's



23 **DIRECT FIRED**
170 - 400,000 BTU's



23 **DIRECT FIRED**
1M - 1.5M BTU's




24 **INDIRECT FIRED**
175 - 400,000 BTU's



26 **INDIRECT FIRED**
575 - 588,000 BTU's



26 **INDIRECT FIRED**
788,000 BTU's



27 **MAKE-UP AIR**
550 - 2.3M BTU's



29 **GROUND THAW**
620,000 BTU's



WE FOCUS

WE WORK

WE THINK

WE BUILD

WE CREATE

WE DELIVER

WE VALUE

WE ARE

**ON SERVICE
HARDER
DIFFERENTLY
RELATIONSHIPS
TRUST
SOLUTIONS
OPPORTUNITY
AXIS AIR**



10 BRANCHES

AXIS PORTABLE AIR IS AN EQUIPMENT RENTAL COMPANY SOLELY
FOCUSED ON THE RENTAL, SALES AND SERVICE OF PORTABLE
AIR CONDITIONING, HEATING, AIR MOVEMENT, DRYING, AND
REMEDIATION EQUIPMENT.



ONE FOCUS



CLIMATE CONTROL



SEVEN OPEN

THREE SIXTY FIVE
EMERGENCY SERVICE

WE MEAN IT.



1000+

PIECES OF EQUIPMENT
IN EVERY BRANCH

ESTABLISHED

2019



SMALL ENOUGH TO CARE



BIG

ENOUGH TO PLAY

HYPER-FOCUSED

COOLING | HEATING | AIR MOVEMENT


**CREATING THE BEST
CUSTOMER EXPERIENCE
THE EQUIPMENT RENTAL
INDUSTRY HAS EVER SEEN.**




“
**LET'S
REDEFINE
WHAT
DEPENDABILITY
MEANS**







HERE TODAY
BUILDING FOR
TOMORROW



**DALLAS
DENVER
TUCSON
PHOENIX
ATLANTA
HOUSTON
SALT LAKE
NASHVILLE
KANSAS CITY
SAN ANTONIO**



DISASTER RELIEF WITH NATIONAL SUPPORT

DELIVERING WHEN IT MATTERS THE MOST





PERFORMANCE AND POWER BEYOND THEIR SIZE

ELECTRIC | PACKAGED | DIRECT FIRED | INDIRECT FIRED

MAKE-UP AIR | GROUND THAW | RADIANT

patron



flagro
INDUSTRIES LIMITED



DRYAIR

Chromalox
PRECISION HEAT AND CONTROL



MOVINCOOL
The #1 Spot Cooling Solution

Kwikool

HEATING




PATRON 9kw
ELECTRIC HEATER

ELECTRIC

1.5 - 18kW




patron



1.5E
5,100 BTUs



E1.5
5,100 BTUs




6/9E
20,500 BTUs -
30,700 BTUs



6 / E9
20,500 BTUs -
30,700 BTUs



DRA-15-23
51,180 BTUs



18E
65,000 BTUs

MAKE	MODEL	CAPACITY	BTUs	CFM	VOLTAGE	WEIGHT	DIMENSIONS
CAMPO	BLAZE 1.5E	1.5 kW	5,100	125	115V/1 PHASE/13t AMP	13 LBS	11" X 8" X 12"
PATRON	E1.5	1.5 kW	5,100	116	115V/1 PHASE/12.5 AMP	14 LBS	11" X 12" X 8"
CAMPO	BLAZE 6/9E	6/9 kW	20,500 30,700	550	240V/1 PHASE/36 AMP	45 LBS	24" X 14" X 17"
PATRON	E6 / E9	6/9 kW	20,500 30,700	350	240V/1 PHASE/37.5 AMP	40 LBS	23" X 14" X 18"
CHROMALOX	DRA-15-23	15 kW	51,180	1070	208V/3 PHASE/36.3 AMP	65 LBS	33" X 33" X 40"
CAMPO	BLAZE 18E	18 kW	65,000	1200	208V/3 PHASE/50 AMP 208V/1 PHASE/86 AMP	80 LBS	36" X 18" X 20"





patron

Chromalox
PRECISION HEAT AND CONTROL

18 - 60kWt

ELECTRIC



18E-1
65,000 BTUs



DRA-30-43
102,360 BTUs



60E
205,000 BTUs



60E
205,000 BTUs



MAKE	MODEL	CAPACITY	BTUs	CFM	VOLTAGE	WEIGHT	DIMENSIONS
PATRON	18E-1	18 kW	65,000	1000	240V/1 PHASE/81 AMP	62 LBS	32" X 14" X 20"
CHROMALOX	DRA-30-43	30 kW	102,360	1070	480V/3 PHASE/36.3 AMP	75 LBS	33" X 33" X 40"
CAMPO	BLAZE 60E	60 kW	205,000	4500	480V/3 PHASE/72 AMP	300 LBS	52" X 22" X 36"
PATRON	60E	60 kW	205,000	1765	460V/3 PHASE/75 AMP	125 LBS	46" X 20" X 25"





AXIS
PORTABLE AIR

AXISAIR.COM | 888.360.2739

**KEEP
MOVING
FORWARD**

KWIKOOL
KP012-23

**TRANE****KwikKool****MOVINCOOL**
The #1 Spot Cooling Solution**3 KW- 24 kW**


HEAT PUMPS & PACKAGED



CLIMATE PRO D12
9,900 BTUs



CLIMATE PRO D18
13,100 BTUs



TRANE 3.5TON
35,000 BTUs



KPO12-23
83,300 BTUs



KPO12-43
83,300 BTUs



MAKE	MODEL	CAPACITY	BTUs	CFM	VOLTAGE	WEIGHT	DIMENSIONS
MOVINCOOL	D12	3 kW	9,900	760	115V/1 PHASE/15 AMP	181 LBS	22" X 27" X 47"
MOVINCOOL	D18	4 kW	13,100	825	115V/1 PHASE/20 AMP	198 LBS	22" X 27" X 51"
TRANE	3.5 TON	10 kW	35,000	1200	208V/1 PHASE/40 AMP	306 LBS	48X 33" X 43
KWIKOOL	KPO12-23	24 kW	83,300	5500	208V/3 PHASE/80 AMP	1080 LBS	32" X 64" X 60"
KWIKOOL	KPO12-43	24 kW	83,300	5500	460V/3 PHASE/40 AMP	1080 LBS	32" X 64" X 60"



DIRECT

80,000-350,000 BTUs



PREMIER 80 DF
80,000 BTUs



PREMIER 170 DF
170,000 BTUs



THC175-DF
175,000 BTUs



THC-355 CDF
330,000 BTUs



PREMIER 350 DF
350,000 BTUs

MAKE	MODEL	TYPE	BTUs	CFM	CONSUMPTION	VOLTAGE	DIMENSIONS
LB WHITE	PREMIER 80 DF	LP & NG	80,000	450	3.7 lbs/80 cu.ft/hr	115V/15 AMP	29" X 13" X 22"
LB WHITE	PREMIER 170 DF	LP & NG	170,000	1,200	7.9 lbs/179 cu.ft/hr	115V/15 AMP	32" X 24" X 32"
FLAGRO	THC-175 DF	LP & NG	175,000	1,200	8 lbs/175 cu.ft/hr	115V/15 AMP	25" X 24" X 33"
FLAGRO	THC-355 CDF	LP & NG	330,000	2,600	16 lbs/307 cu.ft/hr	115V/15 AMP	47" X 32" X 42"
LB WHITE	PREMIER 350 DF	LP & NG	350,000	2,600	16 lbs/350 cu.ft/hr	115V/15 AMP	28" X 48" X 41"





ADD HEAT
REMOVE DOUBT
CONTINUE BUILDING

FLAGRO
THC -355 CDF



**COMPACT
PORTABLE
POWERFUL**

**FLAGRO
F1000T**



TRADESMAN 170U
170,000 BTUs



TRADESMAN 400DF
400,000 BTUs



F1000T
1,000,000 BTUs



F1500T
1,500,000 BTUs



MAKE	MODEL	TYPE	BTUs	CFM	CONSUMPTION	VOLTAGE	DIMENSIONS
LB WHITE	TRADESMAN 170U	LP	170,000	550	7.8 lbs/hr	115V/15 AMP	10" X 16" X 40"
LB WHITE	TRADESMAN 400DF	LP & NG	400,000	1,050	18 lbs/400 cu.ft/hr	115V/15 AMP	12" X 21" X 51"
FLAGRO	F1000T	LP & NG	1,000,000	7,000	46 lbs/952 cu.ft/hr	115V/15 AMP	61" X 29" X 38"
FLAGRO	F1500T	LP & NG	1,500,000	7,000	69 lbs/1428 cu.ft/hr	115V/15 AMP	61" X 29" X 38"

INDIRECT

175,000 - 399,000 BTUs

flagro
INDUSTRIES LIMITED



BLAZE 200 DIESEL TURBO
175,000 BTUs



BLAZE 200 GAS TURBO
175,000 BTUs



FVO-400RC
390,000 BTUs



FVO-400RCBT
399,000 BTUs



BLAZE 400 DIESEL TURBO
399,000 BTUs



BLAZE 400 GAS TURBO
399,000 BTUs

MAKE	MODEL	TYPE	BTUs	CFM	FUEL TANK	CONSUMPTION	RUN TIME	VOLTAGE	DIMENSIONS
CAMPO	BLAZE 200 DIESEL TURBO	DIESEL	175,000	3,250	40 GAL	1.3 GAL P/H	32 HRS	115V/20 AMP	48" X 30" X 65"
CAMPO	BLAZE 200 GAS TURBO	GAS	175,000	3,250	N/A	1.9 lp / 4.8 ng	N/A	115V/20 AMP	48" X 30" X 38"
FLAGRO	FVO-400RC	DIESEL	390,000	4,000	42 GAL	2.8 GAL P/H	14 HRS	115V/20 AMP	70" X 29" X 54"
FLAGRO	FVO-400RCBT	GAS	399,000	4,000	118 GAL	2.8 GAL P/H	42 HRS	115V/20 AMP	70" X 29" X 52"
CAMPO	BLAZE 400 DIESEL TURBO	DIESEL	399,000	5,500	42 GAL	2.8 GAL P/H	14 HRS	115V/20 AMP	76" X 31" X 57"
CAMPO	BLAZE 400 GAS TURBO	GAS	399,000	5,500	N/A	4.46 lp / 16.08 ng	N/A	115V/20 AMP	76" X 31" X 57"



PRO SERVICE PRO PRODUCTS PRO SERVICE



RENTALS & SALES

24/7 EMERGENCY
SERVICE

AXISAIR.COM

888.360.2739

CAMPO
BLAZE 400D TURBO

INDIRECT

588,000 - 780,000 BTUs

flagro
INDUSTRIES LIMITED



BLAZE 600 DIESEL TURBO II
588,000 BTUs




BLAZE 600 GAS TURBO II
575,000 BTUs



FVO-1100TR
780,000 BTUs

MAKE	MODEL	TYPE	BTUs	CFM	FUEL TANK	CONSUMPTION	RUN TIME	VOLTAGE	DIMENSIONS
CAMPO	BLAZE 600 DIESEL TURBO II	DIESEL	588,000	6,500	42 GAL	4.2 GAL P/H	10 HRS	115V/20 AMP	77" X 31" X 57"
CAMPO	BLAZE 600 GAS TURBO II	GAS	575,000	6,500	N/A	6.4 lp / 19.5 ng	N/A	115V/20 AMP	77" X 31" X 57"
FLAGRO	FVO-1100TR	DIESEL	780,000	8,000	299 G	6.7 GAL P/H	N/A	115V/20 AMP	192" X 88" X 88"






FMA-550
550,000 BTUs



FMA-1500
1,500,000 BTUs



FMA-2300
2,300,000 BTUs

MAKE	MODEL	TYPE	BTUs	CFM	CONSUMPTION	VOLTAGE	DIMENSIONS
FLAGRO	FMA-550	LP & NG	550,000	4,400	25 lp / 523 cfh	115V/20A	56" X 43" X 28"
FLAGRO	FMA-1500	LP & NG	1,500,000	8,800	70 lp / 1425 cfh	208V/1P/25A	69" X 37" X 61"
FLAGRO	FMA-2300	LP & NG	2,300,000	15,000	106 lp / 1900 cfh	208V/1P/35A	95" X 51" X 47"



**SERVICE
THAT IS
UNMATCHED**




48,000 - 620,000 BTUs

GROUND THAW & RADIANT



650GTS DG
620,200 BTUs



SUNBLAST 125
125,000 BTUs



PATIO HEATER
48,000 BTUs

MAKE	MODEL	TYPE	BTUs	FUEL TANK	VOLTAGE	DIMENSIONS
DRYAIR	650GTS DG	GROUND-THAW	620,200	250 GAL	115V/1 PHASE/15 AMP	195" X 95" X 96"
LB WHITE	SUNBLAST 125	PROPANE	125,000	N/A	115V/1 PHASE/15 AMP	17" X 17" X 35"
AXIS AIR	PATIO HEATER	PROPANE	48,000	N/A	115V/1 PHASE/15 AMP	26" X 26" X 68





2021- 2022 EQUIPMENT CATALOG

AXISAIR.com